

(EC) No. 1272/2008(CLP)

**CYLINDER BOTTLE ALCOHOL WET WIPES 150**

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING****1.1 Product Identifier**

Name of Product	<b>CYLINDER BOTTLE ALCOHOL WET WIPES 150</b>
SDS <sup>1</sup> Form No	SVM-01-58
Product Description	Mixture

**1.2 Relevant Identified Uses Of The Product And Uses Advised Against**

Relevant Identified Uses	ALCOHOL Wet Wipes
Uses Advised Against	There are no uses advised against.

**1.3 Details Of The Supplier The Safety Data Sheet**

Manufacturer/Supplier	Medisanitize™
Address	B5 Buckshaw Link, Buckshaw Village, Chorley, PR7 7EL
Telephone	01772 347771
Fax	
E-mail Address of Competent Person Responsible for the SDS	

**1.4 Emergency Telephone Number**

Company Emergency	
-------------------	--

**2. HAZARDS IDENTIFICATION****2.1 Classification Of The Product****2.1.1 Classification According to Regulation (EC) No 1272/2008**

This product is not classified as hazardous according to regulation (EC) 1272/2008 [CLP/GHS].  
Flam. Liq. 2; H225

**2.2 Label elements****2.2.1 Labeling According to Regulation (EC) No 1272/2008 [CLP<sup>2</sup>/GHS<sup>3</sup>]****Product Identifier**

(EC) No. 1272/2008(CLP)



## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

Hazard Component for Labeling ETHANOL ALCOHOL	
<b>Hazard Pictograms</b>	
- GHS02	
 	
<b>Signal Word</b>	
- DANGER	
<b>Hazard Statements</b>	
<b>H225</b>	Highly flammable liquid and vapour.
<b>H319</b>	Causes serious eye irritation.
<b>H336</b>	May cause drowsiness or dizziness.
<b>Precautionary Statements</b>	
<b>General</b>	
-	
<b>Prevention</b>	
<b>P210</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>P240</b>	Ground and bond container and receiving equipment.

(EC) No. 1272/2008(CLP)

**CYLINDER BOTTLE ALCOHOL WET WIPES 150**

<b>P241</b>	Use explosion-proof electrical / ventilating / lighting / equipment.
<b>P242</b>	Use non-sparking tools.
<b>P243</b>	Take action to prevent static discharges.
<b>P261</b>	Avoid breathing dust/fume/gas/mist/vapours/spray.
<b>P264</b>	Wash hands thoroughly after handling.
<b>P271</b>	Use only outdoors or in a well-ventilated area.
<b>P280</b>	Wear protective gloves/ protective clothing/ eye protection/ face protection.
<b>Response</b>	
<b>P303+P361+P353</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(EC) No. 1272/2008(CLP)

**CYLINDER BOTTLE ALCOHOL WET WIPES 150**

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

<b>P305+ P351+ P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P337+P313</b>	If eye irritation persists: Get medical advice / attention.
<b>P304+P340</b>	If Inhaled: Remove person to fresh air and keep comfortable for breathing.
<b>P312</b>	Call a POISON CENTER / doctor if you feel unwell.
<b>Storage</b>	
<b>P403+P235</b>	Store in a well ventilated place. Keep container tightly closed.
<b>P235</b>	Keep cool.
<b>P405</b>	Store locked up.
<b>Disposal</b>	
<b>P501</b>	Dispose of contents/ container to accordance with local/ regional/ national/ international regulation (to be specified)
<b>Supplemental Hazard Information (EU) Statements</b>	
	No data available.
<b>2.2.2 Special Rules For Supplemental Label Elements For Certain Mixtures</b>	
-None.	
<b>2.2.3 Additional Labeling</b>	
-Not Applicable.	
<b>2.3 Other Hazards</b>	
Product is not classified as PBT/vPvB according to Regulation (EC) No. 1907/2006, Annex XIII: None	

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>3.1 Description Of The Substances</b>				
- Mixture				
CAS´ No	ECμ No	Chemical Name	Conc. %	Classification according to Regulation (EC) No 1278/2008 (CLP)

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

64-17-5	200-578-6	Alcohol (Ethanol)	Dent	70	Flam.Liq, 2:H225
---------	-----------	----------------------	------	----	------------------

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

				Eye Irrit. 1;H319 Aquatic Chronic 2;H411
57-55-6	200-338-0	Propylene Glycol	0.1-0.4	It is not classified as hazardous
63449-41-2/ 68391-01-5/ 68424-85-1/ 85409-22-9	264-151-6/ 269-919-4/ 270-325-2/ 287-089-1	Benzalkonium Chloride	0.00001-0.2	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
77-92-9	201-069-1	Citric Acid	0.0001-0.3	It is not classified as hazardous
60-00-4	200-449-4	EDTA	0.0001-0.3	Eye Irrit. 2; H319

### 3.2 Additional information

**Specific Concentration limits:** None

**M-Factor:** None

**Notes:** None

## 4. FIRST AID

### 4.1. Description of first aid measures

#### 4.1.1 General notes

- When in doubt or if symptoms are observed, get medical advice.

#### 4.1.2 Following inhalation

- If inhaled, remove to fresh air. If not breathing, give artificial respiration.
- In case of dyspnea give oxygen.
- If unconscious, place in recovery position and get medical attention immediately.
- Get medical attention.



#### 4.1.3 Following skin contact

- There is no hazard to use this product on skin.

#### 4.1.4 Following eye contact

(EC) No. 1272/2008(CLP)



## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

<ul style="list-style-type: none"> <li>- Check for and remove any contact lenses.</li> <li>- Rinse out with water for at least 15 minutes with the eyelid held wide open.</li> <li>- Do not rub your eye.</li> <li>- Get medical attention if irritation persists.</li> </ul>	
<p><b>4.1.5 Following ingestion</b></p>	
<ul style="list-style-type: none"> <li>- Wash out mouth with water.</li> <li>- Do not induce vomiting unless directed to do so by medical personnel.</li> <li>- Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.</li> <li>- Get medical attention.</li> </ul>	
<p><b>4.1.6 Self-protection of the first aider</b></p>	
<ul style="list-style-type: none"> <li>- First aid assistant: Pay attention to self-protection!</li> </ul>	
<p><b>4.2 Most important symptoms and effects, both acute and delayed</b></p>	
<ul style="list-style-type: none"> <li>- <b>Potential acute health effects</b></li> <li>Eye contact: It may cause eye irritation.</li> <li>Inhalation: None</li> <li>Skin contact: None</li> <li>Ingestion: None</li> </ul>	
<p><b>4.3 Indication of any immediate medical attention and special treatment needed</b></p>	
<ul style="list-style-type: none"> <li>- Treat symptomatically.</li> </ul>	

## 5. FIRE-FIGHTING

<p><b>5.1 Extinguishing media:</b></p> <p><b>Suitable extinguishing media</b></p> <ul style="list-style-type: none"> <li>- Use an extinguishing agent suitable for the surrounding fire.</li> <li>- Dry Chemical Powder, foam or carbon dioxide (CO<sub>2</sub>). Water can be used for cooling.</li> </ul> <p><b>Unsuitable extinguishing media</b></p> <ul style="list-style-type: none"> <li>- None known.</li> </ul>
<p><b>5.2 Special hazards arising from the product</b></p>
<ul style="list-style-type: none"> <li>- There could be toxic gases like Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>) occur</li> </ul>

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version:	1.0	Prep Date:	15.06.2020
Form No:	SVM-01-59	Rev. Date:	15.06.2020

in the event of fire.

- Do not breathe in smoke.
- Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

### 5.3 Advice for fire-fighters

- Wear full chemical protective clothing. In case of fire: Self- Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

- Avoid contact with eyes.
- No action shall be taken involving any personal risk or without suitable training.
- Keep unnecessary and unprotected personnel from entering.
- Do not touch or walk through spilled material.
- Evacuate the accident area.
- Refer to protective measures listed in section 7 and 8.
- Wear appropriate personal protective equipment as described in section 8.

#### 6.1.2 For emergency responders

- If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
- See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- Do not empty into drains and sewers.
- Keep from entering to water and ground water systems.
- Spillages or uncontrolled discharges into watercourses must be alerted to the Environmental Agency or other appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

#### 6.3.1 For containment

- Soak up with inert absorbent material (e.g. sand, vermiculite, sawdust).



(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

- Control personal contact by using protective equipment as required.
- Take up contaminated material and pass on for further processing.
- Contain for disposal according to local/national regulations.

### 6.3.2 For cleaning up

- Move containers from spill area.
- Place spilled material in a designated, labeled waste container.
- Dispose of via a licensed waste disposal contractor.
- Control personal contact by using protective equipment.

### 6.3.3 Other information

- Dispose of waste material according to local, state and federal regulations.

### 6.4. Reference to other sections

- See Section 1 for emergency contact information.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 13 for additional waste treatment information.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### 7.1.1. Protective measures

##### Personal preventions

- Avoid contact with eyes.
- Wear personal protection equipment. Refer to chapter 8.
- Do not eat, drink, smoke or sneeze at the workplace.
- Dangerous areas must be limited and marked with appropriate warning and safety signs.
- Fill only into labeled container.
- Always wash hands with soap and water after handling.
- Working areas must be arranged in such a manner that they can be cleaned at all times.
- Take off all contaminated clothing immediately and never use before washing.
- Ensure adequate ventilation and, if necessary, exhaust ventilation when handling or transferring the product.

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

- Ensure that the occupational exposure limit value/s (OEL) and/or other limit values are complied with.
<b>7.1.2 Measures to Prevent Fire</b>
- See section 5.
<b>7.1.3 Measures to Protect Environment</b>
- Dispose of waste material according to local, state and federal regulations.
<b>7.1.4 Advice on general occupational hygiene</b>
<ul style="list-style-type: none"> <li>- Use good occupational work practice.</li> <li>- Comply with the health and safety at work laws.</li> <li>- Remove contaminated clothing and protective equipment before entering eating areas.</li> </ul>
<b>7.2. Conditions for safe storage, including any incompatibilities</b>
<ul style="list-style-type: none"> <li>- Store in accordance with local regulations.</li> <li>- Store away from ignition sources, food and drink.</li> <li>- Keep container tightly closed.</li> <li>- Store in original containers.</li> <li>- Store in a cool, dry, well-ventilated area.</li> <li>- Avoid contact with incompatible materials.</li> <li>- Avoid physical damage to containers.</li> <li>- Please give the priority usage for damaged packaged.</li> </ul> <p>STORAGE INCOMPATIBILITY None</p>
Advice on common storage
<ul style="list-style-type: none"> <li>- See also instructions on the label.</li> <li>- Store in a cool, dry, well-ventilated area.</li> <li>- Keep away from food, drink and animal feeding stuffs.</li> <li>- Store away from incompatible materials and foodstuff containers.</li> </ul>
<b>7.3. Specific precautions on storage</b>
- No data available.

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

### 8. EXPOSURE CONTROLS / PERSONAL

#### 8.1 Control parameters

Preventive industrial and medical examinations must be carried out according to the application area. Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.

Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

#### 8.1.1 Occupational exposure limits

No data available.

#### 8.2 Exposure controls

Adequate ventilation should be used during processing.

Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### 8.2.1 Appropriate engineering controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Ensure that eyewash stations and safety showers are proximal to the work-station location.

Keep away from food, drink and animal feeding stuffs.

Use personal protective equipment according to EN standards.

See Section 7

#### 8.2.2 Individual protection measures, such as personal protective equipment

##### 8.2.2.1 Eye/ Face protection:

Wear safety glasses

In the event of heated product exposure, face shield must be used and remove contact lens as soon as practicable.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. (EN 166)



(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

### 8.2.2.2 Skin protection

#### Hand protection

- Use protective impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. (EN 374)
- Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.
- Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.



#### Body protection

- Choose body protection according to the amount and concentration of the dangerous substance at the work place.



#### Other protection

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- Prophylactic use of protective ointment (barrier cream) is recommended.

### 8.2.2.3 Respiratory protection

- Use a respiratory protective device with particle filter/dust mask CEN with an approved standard if a risk assessment indicates this is necessary.
- Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.



### 8.2.3 Environmental exposure controls

- Legislation for the protection of the environment must be met in full.

## 9. PHYSICAL AND CHEMICAL

### 9.1 Information on basic physical and chemical properties

(EC) No. 1272/2008(CLP)

**CYLINDER BOTTLE ALCOHOL WET WIPES 150**

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

Form/Physical state	Liquid on Wipes
Color	Transparent
Odor	Characteristic
pH	5.0 / 0.5
Melting Point (°C)	-88 °C / -126 °F
Flash point (°C)	12 °C / 54 °F
Flammable properties	No data available
Conductivity	Electrical conductivity: > 10,000 pS/m
Oxidizing Properties	Not oxidizer
Explosive Properties	Not explosive
Explosion limits, %	No data available
Vapor Pressure	4.1 kPa (20 °C / 68 °F)
Vapor Density	0.78 - 0.79 (20 °C / 68 °F)
Autoignition point (°C)	425 °C / 797 °F Method: ASTM D-2155
Boiling Point (°C)	82 - 83 °C / 180/181 °F
Density (g/mL) (20°C)	785 - 786 kg/m <sup>3</sup> (20 °C / 68 °F) Method: ASTM D4052
Water Solubility	completely miscible
Apparent Porosity	No data available
<b>9.2 Other Information</b>	
Other physical and chemical parameters	

**10. STABILITY AND REACTIVITY****10.1 Reactivity**

- Stable under recommended storage and handling conditions. (See section 7.)

**10.2 Chemical stability**

-No hazardous reaction is expected when handled and stored according to provisions.

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

<b>10.3 Possibility of hazardous reactions</b>
- No harmful reactions under normal conditions.
<b>10.4 Conditions to avoid:</b>
- No harmful reactions under normal conditions.
<b>10.5 Incompatible materials:</b>

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

- No substance have any effect.

### 10.6 Hazardous decomposition products:

- The thermal decomposition may release/form:
- Carbon monoxide (CO)
- Carbon dioxide (CO<sub>2</sub> )

## 11. TOXICOLOGICAL INFO

### 11.1 Information on toxicological effects

Based on our experience and the information available, adverse health effects are expected if not handled as recommended with suitable precautions for designated uses. The product has not been tested in animal experiments.

### 11.2 Acute toxicity

- There is no acute toxicity have observed for the product.
- **Phenoxyethanol**
- LD50 (oral): <5000 mg/kg
- Remarks: Low toxicity
- **Propylene Glycol**
- LD50 (oral, rat): >5000 mg/kg
- LD50 (dermal, rabbit): >5000 mg/kg
- Remark: Low toxicity

### 11.3 Skin corrosion/irritation and Eye damage/ irritation:

- Skin corrosion/irritation; No effect on skin.
- Eye damage/irritation; Liquid may irritate the eye.

### 11.4 CMR effects (Carcinogenity):

- The product does not have carcinogenic effect.

### 11.5 CMR effects ( Mutagenicity and Toxicity for reproduction):

The product is not mutagenic or toxic for reproduction.

### 11.6 Other Toxicological Effects:

Allergic Effects	No data available
Effects on Repeated Doses Chronic Exposures	No data available
Sensitization	No data available

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Developmental Toxicity (Teratogenicity)	No data available
---	-------------------



(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

Fertility	No data available
<b>11.7 STOT-single/repeated exposures:</b>	
STOT-single exposure	The product is not classified as a specific target organ toxicant.
STOT-repeated exposure	The product is not classified as a specific target organ toxicant.
<b>11.8 Symptoms related to the physical, chemical and toxicological characteristics:</b>	
In case of inhalation	No data available
In case of skin contact	No data available
In case of eye contact	There may be a risk of conjunctivitis, burns and blindness.
In case of ingestion	May cause discomfort if swallowed.
<b>11.9 Additional Toxicological Information:</b>	
<ul style="list-style-type: none"> <li>- Toxicological classifications are based on available knowledge and information.</li> <li>- The special effects to health are considered by taking into account the information in section 3.</li> </ul>	

## 12. ECOLOGICAL INFO

<b>12.1 Toxicity:</b>
It is not considered dangerous for the environment.
<b>12.2 Persistence and degradability</b>
Abiotic Degradation: No data available Physical- and Photo- chemical elimination: No data available Biodegradation: The product has biodegradability. The solid matter content can be separated mechanically in a sewage plant.
<b>12.3 Bioaccumulative potential</b>
Partition coefficient n-octanol / water (log Kow): No data available Bioconcentration factor (BCF): No data available
<b>12.4 Mobility in Soil</b>
Solubility in water: Soluble Liquid Known or predicted distribution to environmental compartments: No data available

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version:	1.0	Prep Date:	15.06.2020
Form No:	SVM-01-59	Rev. Date:	15.06.2020

Surface tension: No data available Adsorption/Desorption: No data available
<b>12.5 Results of PBT and vPvB assessment</b>
According to Annex XIII of Regulation (EC) No. 1907/2006 product is not fulfilling PBT (persistent/bioaccumulative/toxic)/vPvB (very bioaccumulative) criteria
<b>12.6 Other adverse effects</b>
See the sections 6, 7, 13, 14 and 15.

### 13. DISPOSAL CONSIDERATIONS

<b>13.1 Waste Treatment Methods</b>
<b>13.1.1 Product / Packaging disposal</b>
<ul style="list-style-type: none"> <li>- The generation of waste should be avoided or minimized wherever possible.</li> <li>- Note that properties of a material may change in use, and recycling or reuse may not always be appropriate</li> <li>- When recycling of the product is not possible, disposal to landfill or incineration in accordance with all applicable government laws and regulations is recommended.</li> <li>- Disposal according to local authority regulations.</li> <li>- According to the European Waste Catalogue, waste codes are not product specific, but application specific. Waste codes should be assigned by the user.</li> <li>- Contaminated packaging can be re-used after emptying and cleaning.</li> </ul>
<b>13.1.2 Waste Treatment-Relevant Information</b>
- When in compliance with the Environmental Protection (Duty of Care) Regulations.
<b>13.1.3 Sewage Disposal-Relevant Information</b>
- None
<b>13.1.4 Other Disposal Recommendations</b>
<ul style="list-style-type: none"> <li>- Dispose of chemicals waste or in accordance with local regulations.</li> <li>- Follow all applicable local laws, rules and regulations regarding the proper disposal of this material.</li> <li>- If this product has been altered or contaminated with other hazardous materials, appropriate waste analysis may be necessary to determine proper method for disposal.</li> <li>- Dispose of waste according to applicable local, state, and federal regulations.</li> </ul>

### 14. TRANSPORT INFORMATION

(EC) No. 1272/2008(CLP)


## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

	ADR-/RID,	ADNR <sup>1</sup>	IMDG <sup>1</sup> o	ICAO <sup>11</sup> /IATA <sup>12</sup>
<b>TRANSPOTATION</b>	Road	River	Marine	Airways
<b>14.1 UN No.</b>	1219	1219	1219	1219
<b>14.2 Un Proper Shipping Name</b>	<b>UN 1219, FLAMMABLE LIQUID, N.O.S., 3, III, 3(D/E)</b>			
<b>Symbols</b>				
<b>HIN No</b>	30	-	-	-
<b>Tunnel Restriction Code</b>	3 (D/E)	-	-	-
<b>14.3 Transport Hazard Class</b>	3	3	3	3
<b>14.4 Packaging Group</b>	III	III	III	III
<b>14.5 Classification Code</b>	F1	-	-	-
<b>14.6 Environmental Hazards</b>	-	-	-	-
<b>14.7 Special Precautions For Users</b>	Not Available			
<b>14.8 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	Not Available			

### 15. REGULATORY INFORMATION

#### 15.1 Safety, Health And Environmental Regulations / Legislation Specific For The Substance or Mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.



# SAFETY DATA SHEET

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.
<b>15.1.1 HAZARD</b>
CLP classification according to Annex VI of CLP (Regulation (EC) No 1272/2008)
<b>INTERNATIONAL REGULATIONS</b>

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0 Prep Date: 15.06.2020

Form No: SVM-01-59 Rev. Date: 15.06.2020

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 (REACH) and ISO11014:2009  
This product is classified according to EU Directive GHS/CLP.  
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR 2015)

### 15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16. OTHER INFORMATION

### 16.1 Other information

- For additional information regarding products please contact the The above information complies with the 1907/2006 Directives and their amendments.

### 16.2 Related Person

- **Chemical Safety and Regulatory Affairs Consultant:**

### 16.3 Revision Date, Version and SDS no

- Date: .2020  
-Version: 1.0  
- SDS No: SVM-01-58

### 16.4 Reason of re-issue

- Compiling according to Regulation (EC) No 1272/2008

### 16.5 Relevant H- and EUH-phrases:

<b>H225</b>	Highly flammable liquid and vapour.
<b>H302</b>	Harmful if swallowed.
<b>H312</b>	Harmful in contact with skin.
<b>H314</b>	Causes severe skin burns and eye damage

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version: 1.0

Prep Date: 15.06.2020

Form No: SVM-01-59

Rev. Date: 15.06.2020

<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H372</b>	Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>H411</b>	Toxic to aquatic life with long lasting effects.

**16.6 Legal disclaimer**

- The purpose of the above information is to describe the products only in terms of health and safety requirements.
- The information given should not, therefore, be construed as guaranteeing specific properties or as specification.
- Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use.
- The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.
- The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.
- The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.

<sup>1</sup> SDS: Safety Data Sheet<sup>2</sup> CLP: Classification Labelling and Packaging<sup>3</sup> GHS: Global Harmonised System<sup>4</sup> CAS: Chemical Abstract Service<sup>μ</sup> EC: European Community number

(EC) No. 1272/2008(CLP)

## CYLINDER BOTTLE ALCOHOL WET WIPES 150

Version:	1.0	Prep Date:	15.06.2020
Form No:	SVM-01-59	Rev. Date:	15.06.2020

---

<sup>¶</sup> EN Standards: Personal Protective Equipment Standards Determined by CEN (EUROPEAN Committee for Standardization)

· ADR: Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)

,RID: Regulations Concerning the International Transport of Dangerous Goods by Rail (European law)

<sup>1</sup> ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine (EU)

<sup>10</sup> IMDG: International Maritime Dangerous Goods (United

Nations) <sup>11</sup> ICAO: International Civil Aviation Organization

<sup>12</sup> IATA: International Air Transport Association